



**D&RHenderson**

Independent | Sustainable | Competitive

# Product Catalogue

Contact our friendly customer service team or your Sales Representative.

 1300 733 266

[customer.service@drhenderson.com.au](mailto:customer.service@drhenderson.com.au)

[drhenderson.com.au](http://drhenderson.com.au)



# INDEX

CATEGORY	COLOUR	FINISH	PAGE
<b>FLOORING</b>	ALL	T&G Particle Board	4
<b>TIMBER</b>		Sawn, Dressed & Gluts	5
<b>MELAMINE</b>	White	All	6
	Black	All	6
	Euro	Woodgrain	7
	HDF	Machine Grade	8
	Colour	Availability	9
	CTS Edged		10
<b>EDGE TAPE &amp; GLUE</b>	All		11
<b>MDF</b>	Raw	STD/MR	12
	Exterior	MR	12
	FR MDF	FR	12
<b>PARTICLE BOARD</b>	Raw	STD	13
		MR	13
	CTS		13
<b>veneers</b>	Timber	Natural	14-15
		Recon	16-18
	Acrylic Gloss	G1S/G2S	19
	Acrylic Matt	G1S/G2S	20
	Soft Touch	Super Matt	21-22
	Finger Print Proof	G1S/G2S	23
<b>PLY</b>	Raw	Structural	24
		Non-Structural	24
		Decorative Hoop	24
		Lightweight & Balsa	24
		Birch	24
		Flooring	24
		Fireply	24
	Bamboo		25-26
<b>"PVC FOAM BOARD (VERSABOARD)"</b>	White	Satin	27
	Black	Satin	27
<b>WARDROBE</b>	All	Mirror	28-29
		Vinyl	28-30
		Accessories	28-29
<b>DISTRIBUTED PRODUCTS</b>	All		30
<b>RECYCLED PRODUCTS</b>	All		31

## Flooring


D&R Henderson have been manufacturing all purpose tongue and grooved particleboard flooring since 1987. Floorboard products incorporate a high concentration wax-resin system, allowing for greater edge protection if sheets are cut. This obviates the need for edge wax sealant.

Floorboard meets all the requirements of the Australian standard AS/NZS 1860.1 and is suitable for domestic and commercial installations.

Tongue & Groove Floorboard come in three thicknesses and is available as General Purpose (GP) or Termite Treated (TT).

SIZE	THICKNESS	TONGUE	FINISH
3600 x 800	19mm	Orange	STD
3600 x 900	19mm	Orange	STD
3600 x 800	19mm	Orange	T/T
3600 x 900	19mm	Orange	T/T
3600 x 800	22mm	Burgundy	STD
3600 x 900	22mm	Burgundy	STD
3600 x 900	22mm	Burgundy	T/T
3600 x 600	25mm	Navy	STD

Request a copy of our  
Flooring Installation Guide  
or download  
at [drhenderson.com.au](http://drhenderson.com.au)





## Sawn Timber Pine Framing & Gluts and Bearers

### Australian Plantation Grown Radiata Pine

D&R Henderson are a major Sawmilling company with an Australia wide presence. Our Sawmill and Board Production facility is located in Northern Victoria, where we harvest Radiata Pine for multiple manufacturing applications.

Waste from our sawmill is then redirected into the Particleboard Manufacturing plant where we look to maintain a sustainable supply from our Forestry through to the end user.

### Common industries we supply:

Furniture manufacturers  
Bedding  
Shopfitters  
Cabinet Makers  
Landscape  
Construction

### Packaging Solutions for Business

Manufacturing businesses of all types like to present their product in the best form as possible to create repeat sales, and to protect the finished quality of the completed item. Therefore D&R Henderson being a sawmill based business who also is one of Australia's leading makers of Particle Board and MDF board products, knows the importance of securely packing the goods. Our sawmill that feeds the board business also manufactures its own Gluts or Bearers. Today they are available to you.

### Gluts/Bearers available in multiple sizes. Popular sizes include:

- 70 x 48 x 1230 mm (Grooved for strapping)
- 70 x 48 x 1830 mm (Grooved)
- 100 x 75 - 3.6/4.8 & 5.4m  
(Lengths for heavier industrial applications)

### Pack sizes:

- 70 x 48 mm - 225 sticks
- 100 x 75 mm - 70 sticks



## Melamine

### D & R Henderson is one the major manufacturers of Raw particle board and Melamine products in Australia.

Our manufacturing plant is in Benalla, northern Victoria where we source Australian grown Radiata Pine to make our products.

Our available range of products is very extensive and too much to list in the catalogue, hence we have listed our major sellers, with variable sizes available to specification, based on large volume requirements.

COLOUR	SIZE	THICKNESS	SUSBSTRATE	FINISH
WHITE	2400 x 1200 mm	9, 12, 16, 18, 25 & 32 mm	MR PB (MR) & MR MDF (MRF) EO (Not all sizes)	Satin/CTX/Décor
	2400 x 1800 mm	16 & 18 mm		Satin/CTX/Décor
	3600 x 1200 mm	16 & 18 mm		Satin/CTX/Décor
	3600 x 1800 mm	16, 18, 25 & 33 mm		Satin/CTX/Décor
BLACK	2400 x 1200 mm	16 & 18 mm		CTX/Décor
	3600 x 1200 mm	16 & 18 mm		CTX/Décor
	3600 x 1800 mm	16, 18 & 25 mm		CTX/Décor



Request a copy of our  
Melamine Colour & Design brochure  
or download  
at [drhenderson.com.au](http://drhenderson.com.au)

# Euro Melamine

## Wood Grain Feel Euro Melamine


Modern wood grain designs provide texture and style in commercial and residential settings.

D&R Henderson produce a range of woodgrain finishes we call EURO. Popular for doors where you want to add an element of class without the high price of 2 pack or gloss.


Board sizes mainly in 2400 x 1200 x 16mm.




White Euro




Flax Teak




Bleached Oak




Driftwood




Rift Oak




Vanilla Oak




Oyster Micraline




Treble Elm



Mushroom Micraline




Charred Oak




Cinnamon



Sage Oak



Liquorice Micraline



Black Euro

Contact our friendly customer service team or your sales representative.

 1300 733 266  
[customer.service@drhenderson.com.au](mailto:customer.service@drhenderson.com.au)



## HDF (High Density Fibreboard)

### White Satin HDF - Machine Grade

D&R Henderson QLD are now stocking 3 popular sizes in HDF in 16 & 18mm thick boards.

HDF is a great solution for where routing of doors results in a cleaner finish than traditional MDF. Because it is harder you shouldn't experience the furriness and increased preparation time by your spray painters when 2 packing.

#### HDF available sizes

SIZE	THICKNESS	PACK SIZE
2400 x 1200 mm	16 mm MR EO	30
2400 x 1200 mm	18 mm MR EO	30
3100 x 1200 mm	18 mm MR EO	30

#### Typical Densities

16 & 18 mm EO/MR MDF 720 kg / m <sup>3</sup>
16 & 18 mm EO/MR LPM 760 kg / m <sup>3</sup>
<b>16 &amp; 18 mm EO/MR HDF 800 kg / m<sup>3</sup></b>

### Ideal for:

**Hampton or Shaker Style Finish**

**Kitchen Doors**

**Wardrobe Doors**

**Any 2 Packing application**



# Melamine Colour Range

## Availability Guide

Colour	Finish	Kitchen Availability		Commercial Availability
		2400x1200mm	2400x1800mm	3600x1800mm
Avalanche	Sheen Gloss	■	■	■
Banstead Oak	CTX	■	■	■
Black	CTX/Décor/Euro	■	■	■
Bleached Oak	Euro	■	■	■
Brushed Aluminium	CTX	■	■	■
Charred Oak	CTX/Euro	■	■	■
Cinnamon	CTX/Euro	■	■	■
Driftwood	Euro	■	■	■
Flax Teak	CTX/Euro	■	■	■
Florentine Grey	CTX	■	■	■
Graceland Blue	CTX	■	■	■
Liquorice Micraline	CTX/Euro	■	■	■
Mushroom Micraline	CTX/Euro	■	■	■
Oyster Micraline	CTX/Euro	■	■	■
Porcelain	CTX	■	■	■
Rift Oak	Euro	■	■	■
Sage Oak	Euro	■	■	■
Sheer White	CTX	■	■	■
Sonova Beech	CTX	■	■	■
Treble Elm	Euro	■	■	■
True Antique White	CTX	■	■	■
Vanilla Oak	CTX/Euro	■	■	■
White	Euro	■	■	■

Key:

- Product available
- Product not available

Edgetape available for all colours and designs in the following sizes:  
29 x 2 mm / 22 x 2 mm / 22 x 1 mm

Plate Finishes: CTX, Euro Linear, Decor and Satin (Default CTX).

MDF & MR-MDF substrate & other sizes available upon request.

E-Zero (E0) and Super E-Zero (SE0) substrate available upon request.

## Particleboard & White Melamine

### CTS (Cut to Size)

Raw CTS products are generally made to sizes requested by customers as componentry to fast track installation of products like shelving, furniture, cupboards, & wardrobes as some examples.

Standard sizes are as follows:

LENGTH	WIDTH	THICKNESS	SUB	PATTERN	OTHER
1800	0450	16 mm	P / B	Raw	
1800	0600	16 mm	MR	Raw	
1800	0600	16 mm	P / B	Raw	
2400	0450	16 mm	P / B	Raw	
2400	0295	16 mm	MR	White	Edge 1
2400	0445	16 mm	MR	White	Edge 1
2400	0597	16 mm	MR	White	Edge 1
3600	0410	16 mm	MR	White	Edge 1
3600	0420	16 mm	MR	White	Edge 1
3600	0595	16 mm	MR	White	Edge 1
3600	0597	16 mm	P / B	White	Edge 1
2400	0568	16 mm	MR	White	

## Edge Tape & Glue

**D & R Henderson carry a wide range of Edge Tapes for various board finishes.**

Stock and colours may vary on popularity, please ask as we may have for immediate delivery.

Also ask about our White Edge Tape now, as we are much more competitive than we have been in the past.



**We promote the Edge Band Glue that we use for 1,000's of lineal metres each month.**

**Why? Because we know it sticks.**

**Ask your representative for a flyer.**



## MDF

### Raw or Standard MDF (Medium Density Fibreboard)

We stock a range of popular sizes in our warehouse for immediate delivery, typically in 2400 x 1200 board sizes for other sizes outside of the norm, we draw from either our mill or external suppliers, dependent upon the urgency. Sheet quantities no problem.

**Thicknesses available:  
6 mm – 32 mm**

### Ultra HMR MDF – Flooring Underlay

D&R Henderson Flooring Underlay is a High Performance Fibreboard (HPF) manufactured using a new Ultra HMR resin (MDI). The increased moisture resistance provides extended protection for the life of the product. It is specifically manufactured for interior use complying with AS/NZS 1859.2 - Reconstituted Wood Based Panels. NAF (No Added Formaldehyde) MDI resin does not contain Formaldehyde of any type. No Formaldehyde is added in the manufacturing process, minimal amounts of natural Formaldehyde are present in all wood products which are far below any emission standards.



### Fire Retardant MDF (FR MDF)

Application where a Fire Retardant material is specified. Commonly used in nursing homes or government department buildings. FR MDF can be cheaper than Ply if price is a consideration. Please note this is a project order specific product and is not kept in regular stock, though can be sourced quickly.



# Particleboard

## Rawboard

As the name suggests, Raw board is sheet particleboard ready for a wide range of applications, including laminating, kitchen benchtops, furniture and lounge manufacturing, warehouse racking, pallets and a broad range of other applications.

Substrates can vary though are commonly standard MR (Moisture Resistant) board, or non resistant (UF).

Sizes can also vary though common sizes are stocked as shown.

LENGTH	WIDTH	THICKNESS
2400	0600	16 mm
2400	1200	16 mm
2400	1800	16 mm
3600	0600	16 mm
3600	1200	16 mm
2400	1200	18 mm
2400	1800	18 mm
3600	1800	33 mm




## Veneers

### D&R Henderson are proud to offer an exclusive range of both natural and reconstituted timber veneers, **The Legno Range**.

Ranging in colour from soft light oak tones to the very dark, rich tones with varying grain structure, our comprehensive **Legno range** offers you extensive colour options ensuring you achieve your desired beautiful timber finish.

Timber veneer is the finest use of fine timbers, because it is real timber. One cubic metre of log produces around 1000 square metres of veneer! No other form of woodworking material results in such a yield.



Request a copy of our **Legno Range brochure and Legno colour & design guide** or download at [drhenderson.com.au](http://drhenderson.com.au)

### Natural Veneers.

The natural variation of timber means each project is individual. No two veneers are exactly alike. The 'Fingerprints' of nature lift your designs above that achievable with other similar man made alternatives.

Timber veneers add natural warmth and ambience to your project. Timber veneer is warm and gentle to the touch.

### Recon Veneers.

Reconstructed veneers are manufactured from readily available plantation timbers, such as poplar, Obeche or Bamboo. Logs are rotary peeled into veneers, which are then dyed all the way through and dried. Layers of variously coloured veneers are then laminated together in moulds in a controlled pattern to form 'grain' patterns which are then re-sliced into veneers. The way the layers of veneers are arranged and are then re-sliced depend on the desired pattern – the process is fully automated and often involves the use of computer software to produce different veneer figures and patterns.

Reconstructed timber veneers offer excellent consistency in colour and repeated grain pattern, patterns and colours that can be easily matched or replaced.

## Veneers Natural

SPECIES	CUT
Anegre	Crn/Qtr
Am Cherry	Crn
Am Oak	Crn
Am Oak	Qtr
Am Walnut	Crn
Beech	Crn
Blackbutt	Crn/Qtr
Blackwood	Crn
Brushbox	Qtr
Clear Pine	Crn
Hoop Pine	Rotary
Ironbark	Crn/qtr

SPECIES	CUT
Jarrah	Crn
NG Rosewood	Crn
Plant Oak	Qtr
Plant Oak	Natural
Red Gum	Qtr
Spotted Gum	Qtr/Crn
Tas Ash	Qtr
Tas Oak	Qtr
Tas Oak	Natural
Rock Maple	Crn
Blackbutt	NFG

Edge Tape: Available to match & upon request

Sizes commonly for the QLD market are a 16mm Particle Board or MDF substrate.

G1S & G2S available.

# Veneers Recon Legno Cat 1

Ask your sales representative to view  
sample swatches.



# Veneers Recon Legno Cat 1

Ask your sales representative to view  
sample swatches.



## Veneers Recon Legno Cat 2

Ask your sales representative to view sample swatches or discuss sizes & availability.



**Edge Tape:**  
Available to match & upon request

### Keeping up appearances.

Just like other dyed products, such as fabric, it is possible that D&R Henderson Legno Recon Veneers may vary slightly in colour by 5-10% from batch to batch.

To ensure the best results, all veneers for a projects should be ordered at the same time and use the same coating and processing systems.

### UV resistance

D&R Henderson Recon Veneers are manufactured using superior dyes however just as natural timber veneer will tend to change colour in the presence of light, D&R Henderson Legno Veneers may also be affected. This is part of a natural process and not a defect in the veneer chosen. Where veneer is exposed to strong light sources and sunlight, particularly in a project with north facing windows, it may be advisable to install blinds or have UV protective film applied.

Where D&R Henderson Legno Veneers are specified, it is imperative that a non-yellowing acrylic urethane such as B.C. Coatings UT160 UVMax or polyurethane such as Mirothane Sunshield Clear PU5577 are used to help minimise colour changes over time.



# Acrylic Gloss Laminate

## Lustre Acrylic Gloss



Available in 2400 x 1200 x 18 mm finish.  
Loose 1mm Acrylic sheets available upon request.  
Sheet quantities OK, though mainly White, Alabaster & Black stocked.  
Other colours allow 7 days production minimum.  
Matching Gloss Edge Tape to suit.

### Features

- High thermal stability
- Outstanding weather resistance
- Ultra high gloss appearance
- Easy to clean
- Easy to fabricate

### Ideal Uses


- Patios and alfresco areas
- Marine joinery
- Caravans and RV joinery
- Kitchen cabinets and doors
- Office furniture and partitions
- Wardrobes




Alabaster



Arctic White



Black



Mocha



Red



Slate



Champagne Metallic



Graphite Metallic

Request a copy of our Lustre brochure  
or download at [drhenderson.com.au](http://drhenderson.com.au)

## Acrylic Matt Laminate



### Lustre Acrylic Matt

On trend and delivers a non reflective finish where Gloss is not ideal. Providing a superior appearance for flat lamination and post forming.

### Available Colours

White

Alabaster

Black

Size 2440 x 1220mm

Loose Acrylic 1mm

Matching Edge Tape

### Ideal Uses


Wall cladding

Occasional furniture & cabinets


Kitchen cabinets and doors

Office furniture and partitions


Wardrobes



Alabaster



White



Black



[Request a sample fan](#)

## Soft Touch Super Matte Board



**Soft Touch Super Matt Is a great solution as an Anti Reflective finish which cuts and edges really well, with great stain resistance.**

Our product is manufactured with a highly durable PVC foil coating to withstand what life will throw at it. Soft Touch Super Matt's finish is on trend at the moment, with many starting to move away from gloss. Looking for elegance without breaking the budget?

Available in 2800 x 1200 x 18 mm MDF  
—G2S Finish.









### Multiple uses

Bathrooms  
Kitchens  
Hospitality  
Shop Fit Cabinetry  
Office Fit Outs

### Ideal Uses

Wall cladding  
Occasional furniture & cabinets  
Kitchen cabinets and doors  
Office furniture and partitions  
Wardrobes

Edge Tape: Available to match & upon request





## Soft Touch Super Matte Board

### Soft Touch Properties.

Panels are made up of a premium quality MDF (Medium Density Fiberboard) panel substrate that has been laminated, with a 0.30 mm decorative polymer film overlay or RTF (Rigid Thermoformable foil) using PUR adhesive (reactive polyurethane) that provides the highest structural bonding strength.

### Benefits

A decorative polymer film overlay that is impact resistant to chipping, cracking or breaking compared to similar panel solutions.

A less expensive alternative to painted material  
Easy maintain and clean.

BRILLIANCE (60°)	< 5 GLE
Optical Distortion Effect	None
Orange Peel Effect	None
Scratch resistance	Good
Stain Resistance	Great
Water Vapour Resistance	Great
Sun Light Resistance	Great
Core	MDF
Thickness	18 mm

## Finger Print Proof Laminate

Not all Finger Proof Laminates are alike.

**Buyer beware.**

### Cleantouch

A premium laminate where unsightly finger prints are all but gone. Suited for both horizontal & vertical applications.

### Benefits

- Anti-fingerprint
- Thermal Self-Healing
- Anti-Static
- Mould Resistant
- Water Repellent

### Colours

- White
- Beige
- Light Grey
- Dove Grey
- Graphite
- Black

### Sizes

- 3050 x 1230 mm x 18 mm
- 3660 x 1230 mm x 18 mm

### Applications

- Hospital Grade
- Kitchen Doors
- High traffic areas



**Request a sample fan**

Matching Edge Tapes available also  
Laminate ONLY available

Contact our friendly customer service team  
or your sales representative.

 1300 733 266  
[customer.service@drhenderson.com.au](mailto:customer.service@drhenderson.com.au)





## Plywood

### **Non-Structural Pine Plywood CD 2400 x 1200 (Renewable) “A” Bond.**

6.5 mm, 9 mm, 12 mm, 15 mm, 17 mm, 19 mm,  
21 mm & 25 mm

Typically Radiata Pine though Hoop Pine available for a clearer finish for more decorative and visual applications. Price may vary slightly.

Pack sizes may differ slightly dependent upon manufacturer.

### **Structural F8 & F11 Pine Plywood CD 2400 x 1200 – AS2269 EWPAA.**

7 mm, 9 mm, 12 mm, 15 mm, 17 mm, 19 mm,  
21 mm & 25 mm

CD Structural as the name suggests is ideal for building applications and is less important on its aesthetic appearance. Knots may be present as well as some putty filled holes or cracks.

### **Form Ply CD 1800/2400 x 1200 – AS2269 EWPAA.**

Film Face

Structural Form

(F17 & F22)

### **Structural Flooring T&G CD – AS/NZS 2269 T&G.**

F8, F11, F14, F17

2400/2700 x 1200

Sheet Sizes

## Ply Bamboo



### D&R Henderson proudly distributing for Leto Bamboo.

Leto Bamboo are the major importer of Bamboo Ply in Australia.


Bamboo is an amazing material, being a grass not a wood as some may believe. It is highly durable, eco friendly, hard wearing and fast growing.

Being a renewable resource, dedicated Bamboo plantations can mature in as little as 3 years before they harvest for Ply. Unlike traditional softwoods which can be as much as 30 years to reach maturity.

If you are looking for a point of difference in a Decorative Application with a premium product, search no longer as Bamboo Ply could be the answer.

D&R Henderson are proud to partner with Leto Bamboo across Australia as a Distributor.


**Please ask your Rep for samples and be impressed.**




Narrow Grain Carbonised




Narrow Grain Natural



Strand Woven Carbonised



Strand Woven Natural



Strand Woven Multi



Wide Grain Natural



Wide Grain Carbonised

Contact our friendly customer service team or your sales representative.

 1300 733 266  
[customer.service@drhenderson.com.au](mailto:customer.service@drhenderson.com.au)

## Ply Bamboo Types & Application



### Bamboo Textures

Narrow Grain in natural colour (like Spruce)

Narrow Grain in carbonised (milk coffee colour)

Wide Grain in natural colour

Wide Grain in carbonised

Strand Woven in natural

Strand Woven in carbonised

Strand Woven in multi-colour  
(blend of natural and carbonised)

### Inspiration for Bamboo Application

CNC cutting & routing


Cabinet Doors

Wall & ceiling linings

Point of Sale Displays

Counter and table tops

Furniture etc



Please ask your Rep to view a sample binder.



## Versaboard

### PVC Foam Board

A lightweight PVC Polymer Board that is a durable solution with water proof, acoustic and insulating properties for many applications where traditional cabinetry won't suffice.

Available in White / Black & Bamboo Composite

2400 x 1200 x 12, 16 & 18 mm

### Multiple applications and uses

Can be painted Materials & Fabric applied

Laminated over Can be tiled over

Screwed & drilled Cabinet construction

Weather, mould and mildew resistant

And many more...

Suitable for the Sign writers, Cabinetry and Joinery Trades

Please note: Care must still be taken, and it is highly recommended that you view the product data sheet to ensure suitability.

### Other Applications

Alfresco Area

Caravans

Kitchens

Laundries

Office fit outs

Shop fit outs

Public toilets

Wet areas

**Ask your Rep for a sample today and explore the possibilities.**





## Wardrobe Doors

### D&R Henderson offer wardrobe doors (selected states).

Cabinetmakers & Shop Fitters are increasingly expanding their services to domestic builders and to commercial fit outs. For example many not only make the kitchens, though are now doing the laundries and bedroom robes.

In many cases D&R Henderson are supplying the board materials that make up the cabinetry or shelving. So it is logical that we support our customers with an additional and convenient service in common wardrobe or office sliding doors.

Doors come as a kit ready for installation, including doors and tracks.

You can even mix it up e.g. one door mirror the other vinyl.

**To learn more about this service please contact your D&R Henderson representative.**

Doors are manufactured to exacting specifications, therefore we suggest you ask your representative to supply our **Measurements Guide & Installation Guide.**

### Door Finishes

Mirror

Vinyl

Gyprock (for painting)

Frameless Glass

Glass (painted black)

**Frames** (powder coated aluminium)

White Glacier

Black

Chrome

Matt Alum

### Accessories

Tracks & wheel kits can be sold separately



# Wardrobe Doors

## Budget solutions and ready made to your exact measurements.

Available in standard heights 2100mm x 2400mm

Widths vary and is subject to exact measurements provided by you.

With all doors it is critical to get the space measured in multiple locations as typically most walls are not exactly square.

See our “How to measure doors” guide to get the right fit.

### Gyprock Doors

Affordable and you add the colour.



### Vinyl Doors

Popular colours available and easy to clean finish ask our representative for a colour sample.



### Mirror Frame Finish

One of our most popular options with your choice of metal frame colour.



### Frameless Mirror Finish

This door starts to exude elegance with a solid mirror finish for the sophisticated look.



### White / Cream

Framed or Frameless  
Coloured back

Our most prestige offer.



### Things to consider

Choose from up to 4 common colour frames for framed doors.

White, Chrome, Black & Matt Alum.

Select the number of tracks for wider openings. A triple track may be better so doors don't stack up and decrease access into robe.

## Distributed Products

Door Skins



Digital Print



White Vinyl Wrap



Shaker (Hampton Style) Doors



## Go Green with Recycled

### D&R Henderson a Leading Sawmill and Board Manufacturer

When it comes to sustainability, through our sawmill in Benalla country Victoria, we recycle over 20,000 Tons per annum of recycled wood. That's over 800 full semi loads of wood product that doesn't go back into landfill.

A 27m high cleaning tower, removes foreign objects to enable us to provide a superior recycled product for a 2nd chance at life.

### Acceptable Wood Types

- Soft & Hardwood
- Particleboard & plywood offcuts (max.10%)
- Raw wood or board
- Wood must be clear, dry and free of contaminates
- Dry tree trunk, free of bark

### Melamine & Raw Particle Board - Supporting the Furniture Industry with Quality Recycled Board

Whilst White Melamine is popular as a 2 sided prefinished board and economical, we can also offer a range of colours to meet your clients spec.

### Our Commitment

For many years we have held a deep commitment to maintaining manufacturing processes which are both efficient and environmentally friendly.

There is virtually zero waste in our manufacturing processes, from sawmilling pine timber through to board manufacture and melamine laminating.

### Renewable Resource Mantra

10-20% of the wood used in our production is sourced from post consumer material, a resource which has been diverted from the general waste stream to our recycling facility. Once processed into smaller chips, the material undergoes several cleaning stages across multiple sites to remove impurities before being used in a variety of board products.

Over 70% of our wood is sourced from FSC certified plantations, a practice which supports the sustainable management of plantation pine.

Around 75% of the feedstock for our board products is classed as pre-consumer recycled content. This is a by-product from other manufacturing processes which is diverted into systems for further up-stream product manufacture.



Contact our friendly customer service team or your Sales Representative.

 1300 733 266

[sales.brisbane@drhenderson.com.au](mailto:sales.brisbane@drhenderson.com.au)

[drhenderson.com.au](http://drhenderson.com.au)